

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 5 OF 5 CA COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 136:99884 CA
 TITLE: BNIP3 protein inducing necrosis-like cell death
 independent of caspases and Apaf-1/cytochrome c
 pathway
 INVENTOR(S): Kohn, Kenneth I.; Greenberg, Arnold H.
 PATENT ASSIGNEE(S): University of Manitoba, Can.
 SOURCE: PCT Int. Appl., 82 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002002743	A2	20020110	WO 2001-US21043	20010629 <--
WO 2002002743	A3	20020516		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2413250	AA	20020110	CA 2001-2413250	20010629 <--
AU 2001071767	A5	20020114	AU 2001-71767	20010629 <--
EP 1299127	A2	20030409	EP 2001-950808	20010629
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
US 2003203867	A1	20031030	US 2002-290461	20021108
PRIORITY APPLN. INFO.:				
			US 2000-215643P	P 20000630
			US 2000-219554P	P 20000720
			WO 2001-US21043	W 20010629
			US 2001-348135P	P 20011109
			US 2001-344196P	P 20011228

AB The present invention discloses that **BNIP3** (Bcl2/adenovirus E1B 19kD-interacting protein 3) protein induces necrosis-like cell death independent of Apaf-1, caspases activation, and mitochondrial cytochrome c release. The invention also provides the isolated and purified **BNIP3** protein and a method for inducing cell death by creating a transgene overexpressing **BNIP3** protein in the transfecting cells, such as cardiac myocytes. In particular, the **BNIP3** overexpression initiates a cell death pathway including activation of the cell death by protein integration into the outer mitochondrial membrane, opening of the permeability transition (PT) pore which is independent of caspases, Apaf-1 and cytochrome c release, and manifestation of the mitochondrial dysfunction, plasma membrane damage and the morphol. of necrosis. The invention also provides vectors encoding **BNIP3** or its mutant form DN NIP with promoters for uses in gene therapy, and methods of treating diseases by inducing or inhibiting necrosis.

=> s webster, k?/au
 L7 1942 WEBSTER, K?/AU

=> d his

(FILE 'HOME' ENTERED AT 13:41:02 ON 11 MAY 2006)

FILE 'MEDLINE, BIOSIS, CA, EMBASE, SCISEARCH' ENTERED AT 13:41:08 ON 11
MAY 2006

L1 812 S (NIP3 OR BNIP3)
L2 3223884 S MYOC? OR MUSCL?
L3 63 S L2 (P) L1
L4 19 S L3 AND (MUTA? OR (DOMINA? (N) NEGAT?))
L5 9 DUP REM L4 (10 DUPLICATES REMOVED)
L6 5 S L5 AND PY<=2002
L7 1942 S WEBSTER, K?/AU

=> s l7 and l1
L8 23 L7 AND L1

=> dup rem l8
PROCESSING COMPLETED FOR L8
L9 11 DUP REM L8 (12 DUPLICATES REMOVED)

=> s l9 and py<=2002
1 FILES SEARCHED...
L10 5 L9 AND PY<=2002

=> s l10 not l6
L11 4 L10 NOT L6

=> d l11 ibib abs 1-4

L11 ANSWER 1 OF 4 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
ACCESSION NUMBER: 2003:80078 BIOSIS
DOCUMENT NUMBER: PREV200300080078
TITLE: **BNIP3** activates a mitochondrial death pathway in
cardiac muscle subjected to hypoxia and acidosis.
AUTHOR(S): Kubasiak, Lori A. [Reprint Author]; Frazier, Donna P.
[Reprint Author]; Li, Huifang [Reprint Author]; Graham,
Regina M. [Reprint Author]; Bishopric, Nanette H. [Reprint
Author]; **Webster, Keith A.** [Reprint Author]
CORPORATE SOURCE: University of Miami, Miami, FL, USA
SOURCE: Circulation, (**November 5 2002**) Vol. 106, No. 19
Supplement, pp. II-108. print.
Meeting Info.: Abstracts from Scientific Sessions. Chicago,
IL, USA. November 17-20, 2002. American Heart Association.
ISSN: 0009-7322 (ISSN print).
DOCUMENT TYPE: Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)
LANGUAGE: English
ENTRY DATE: Entered STN: 6 Feb 2003
Last Updated on STN: 6 Feb 2003

L11 ANSWER 2 OF 4 BIOSIS COPYRIGHT (c) 2006 The Thomson Corporation on STN
ACCESSION NUMBER: 2002:264007 BIOSIS
DOCUMENT NUMBER: PREV200200264007
TITLE: Hypoxia-acidosis activated apoptosis of cardiac myocytes is
mediated by MPTP opening and **BNIP3** activation.
AUTHOR(S): Kubasiak, Lori [Reprint author]; Discher, Daryl; Bishopric,
Nanette H.; **Webster, Keith A.**
CORPORATE SOURCE: Univ of Miami, Miami, FL, USA
SOURCE: Circulation, (**October 23, 2001**) Vol. 104, No. 17
Supplement, pp. II.203. print.
Meeting Info.: Scientific Sessions 2001 of the American
Heart Association. Anaheim, California, USA. November
11-14, 2001. American Heart Association.
CODEN: CIRCAZ. ISSN: 0009-7322.
DOCUMENT TYPE: Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)

LANGUAGE: English
ENTRY DATE: Entered STN: 1 May 2002
Last Updated on STN: 1 May 2002

L11 ANSWER 3 OF 4 SCISEARCH COPYRIGHT (c) 2006 The Thomson Corporation on
STN
ACCESSION NUMBER: 2003:621636 SCISEARCH
THE GENUINE ARTICLE: 613QJ
TITLE: **BNIP3** activates a mitochondrial death pathway in
cardiac muscle subjected to hypoxia and acidosis
AUTHOR: Kubasiak L A (Reprint); Frazier D P; Li H F; Graham R M;
Bishopric N H; **Webster K A**
CORPORATE SOURCE: Univ Miami, Miami, FL 33152 USA
COUNTRY OF AUTHOR: USA
SOURCE: CIRCULATION, (5 NOV 2002) Vol. 106, No. 19,
Supp. [S], pp. 108-108. MA 544.
ISSN: 0009-7322.
PUBLISHER: LIPPINCOTT WILLIAMS & WILKINS, 530 WALNUT ST,
PHILADELPHIA, PA 19106-3621 USA.
DOCUMENT TYPE: Conference; Journal
LANGUAGE: English
REFERENCE COUNT: 0
ENTRY DATE: Entered STN: 8 Aug 2003
Last Updated on STN: 8 Aug 2003

L11 ANSWER 4 OF 4 SCISEARCH COPYRIGHT (c) 2006 The Thomson Corporation on
STN
ACCESSION NUMBER: 2001:936373 SCISEARCH
THE GENUINE ARTICLE: 487UW
TITLE: Hypoxia-acidosis activated apoptosis of cardiac myocytes
is mediated by MPTP opening and **BNIP3** activation
AUTHOR: Kubasiak L (Reprint); Discher D; Bishopric N H;
Webster K A
CORPORATE SOURCE: Univ Miami, Miami, FL 33152 USA; Univ Miami, Sch Med,
Miami, FL USA
COUNTRY OF AUTHOR: USA
SOURCE: CIRCULATION, (23 OCT 2001) Vol. 104, No. 17,
Supp. [S], pp. 203-203. MA 976.
ISSN: 0009-7322.
PUBLISHER: LIPPINCOTT WILLIAMS & WILKINS, 530 WALNUT ST,
PHILADELPHIA, PA 19106-3621 USA.
DOCUMENT TYPE: Conference; Journal
LANGUAGE: English
REFERENCE COUNT: 0
ENTRY DATE: Entered STN: 7 Dec 2001
Last Updated on STN: 7 Dec 2001

=> d his

(FILE 'HOME' ENTERED AT 13:41:02 ON 11 MAY 2006)

FILE 'MEDLINE, BIOSIS, CA, EMBASE, SCISEARCH' ENTERED AT 13:41:08 ON 11
MAY 2006

L1 812 S (NIP3 OR BNIP3)
L2 3223884 S MYOC? OR MUSCL?
L3 63 S L2 (P) L1
L4 19 S L3 AND (MUTA? OR (DOMINA? (N) NEGAT?))
L5 9 DUP REM L4 (10 DUPLICATES REMOVED)
L6 5 S L5 AND PY<=2002
L7 1942 S WEBSTER, K?/AU
L8 23 S L7 AND L1
L9 11 DUP REM L8 (12 DUPLICATES REMOVED)
L10 5 S L9 AND PY<=2002

L11

4 S L10 NOT L6

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1635jxs

PASSWORD:

LOGINID/PASSWORD REJECTED

The loginid and/or password sent to STN were invalid.
You either typed them incorrectly, or line noise may
have corrupted them.

Do you wish to retry the logon?

Enter choice (y/N):

Do you wish to use the same loginid and password?

Enter choice (y/N):Invalid input.

Do you wish to use the same loginid and password?

Enter choice (y/N):

Enter new loginid (or press [Enter] for ssspta1635jxs):

Enter new password:

LOGINID:

LOGINID:ssspta1635jxs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	JAN 17	Pre-1988 INPI data added to MARPAT
NEWS	4	FEB 21	STN AnaVist, Version 1.1, lets you share your STN AnaVist visualization results
NEWS	5	FEB 22	The IPC thesaurus added to additional patent databases on STN
NEWS	6	FEB 22	Updates in EPFULL; IPC 8 enhancements added
NEWS	7	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	8	MAR 03	Updates in PATDPA; addition of IPC 8 data without attributes
NEWS	9	MAR 08	X.25 communication option no longer available after June 2006
NEWS	10	MAR 22	EMBASE is now updated on a daily basis
NEWS	11	APR 03	New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS	12	APR 03	Bibliographic data updates resume; new IPC 8 fields and IPC thesaurus added in PCTFULL
NEWS	13	APR 04	STN AnaVist \$500 visualization usage credit offered
NEWS	14	APR 12	LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS	15	APR 12	Improved structure highlighting in FQHIT and QHIT display in MARPAT
NEWS	16	APR 12	Derwent World Patents Index to be reloaded and enhanced during second quarter; strategies may be affected
NEWS	17	MAY 10	CA/CAPLUS enhanced with 1900-1906 U.S. patent records
NEWS	18	MAY 11	KOREAPAT updates resume
NEWS EXPRESS			FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT http://download.cas.org/express/v8.0-Discover/

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * *

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would like to better understand what you find useful. Please take approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you will be entered in a drawing to win a free iPod(R). Your responses will be kept confidential and will help us make future improvements to STN.

Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW>

Thank you in advance for your participation.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:41:02 ON 11 MAY 2006

=> FIL MEDLINE BIOSIS CA EMBASE SCISEARCH		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'MEDLINE' ENTERED AT 13:41:08 ON 11 MAY 2006

FILE 'BIOSIS' ENTERED AT 13:41:08 ON 11 MAY 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'CA' ENTERED AT 13:41:08 ON 11 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 13:41:08 ON 11 MAY 2006
Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 13:41:08 ON 11 MAY 2006
Copyright (c) 2006 The Thomson Corporation

=> s (nip3 or bnip3)
L1 812 (NIP3 OR BNIP3)

=> s myoc? or muscl?
L2 3223884 MYOC? OR MUSCL?

=> s 12 (p) 11
L3 63 L2 (P) L1

=> s 13 and (muta? or (domina? (n) negat?))
L4 19 L3 AND (MUTA? OR (DOMINA? (N) NEGAT?))

=> dup rem 14
PROCESSING COMPLETED FOR L4
L5 9 DUP REM L4 (10 DUPLICATES REMOVED)

=> s 15 and Py<=2002
1 FILES SEARCHED...
L6 5 L5 AND PY<=2002

=> .d 16 ibib abs 1-5

L6 ANSWER 1 OF 5 MEDLINE on STN
ACCESSION NUMBER: 2002498687 MEDLINE
DOCUMENT NUMBER: PubMed ID: 12226479
TITLE: Hypoxia and acidosis activate cardiac **myocyte**
death through the Bcl-2 family protein **BNIP3**.
AUTHOR: Kubasiak Lori A; Hernandez Olga M; Bishopric Nanette H;
Webster Keith A
CORPORATE SOURCE: Department of Molecular and Cellular Pharmacology,
University of Miami Medical Center, Miami, FL 33136, USA.
CONTRACT NUMBER: HL44578 (NHLBI)
HL69812 (NHLBI)
SOURCE: Proceedings of the National Academy of Sciences of the
United States of America, (2002 Oct 1) Vol. 99,
No. 20, pp. 12825-30. Electronic Publication: 2002-09-11.
Journal code: 7505876. ISSN: 0027-8424.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200211
ENTRY DATE: Entered STN: 3 Oct 2002
Last Updated on STN: 5 Jan 2003
Entered Medline: 13 Nov 2002

AB Coronary artery disease leads to injury and loss of **myocardial**
tissue by deprivation of blood flow (ischemia) and is a major underlying
cause of heart failure. Prolonged ischemia causes necrosis and apoptosis
of cardiac **myocytes** and vascular cells; however, the mechanisms
of ischemia-mediated cell death are poorly understood. Ischemia is
associated with both hypoxia and acidosis due to increased glycolysis and
lactic acid production. We recently reported that hypoxia does not induce
cardiac **myocyte** apoptosis in the absence of acidosis. We now
report that hypoxia-acidosis-associated cell death is mediated by
BNIP3, a member of the Bcl-2 family of apoptosis-regulating
proteins. Chronic hypoxia induced the expression and accumulation of
BNIP3 mRNA and protein in cardiac **myocytes**, but acidosis
was required to activate the death pathway. Acidosis stabilized
BNIP3 protein and increased the association with mitochondria.
Cell death by hypoxia-acidosis was blocked by pretreatment with antisense
BNIP3 oligonucleotides. The pathway included extensive DNA
fragmentation and opening of the mitochondrial permeability transition
pore, but no apparent caspase activation. Overexpression of wild-type
BNIP3, but not a translocation-defective **mutant**,
activated cardiac **myocyte** death only when the **myocytes**
were acidic. This pathway may figure significantly in **muscle**
loss during **myocardial** ischemia.

L6 ANSWER 2 OF 5 MEDLINE on STN
ACCESSION NUMBER: 2002415349 MEDLINE

DOCUMENT NUMBER: PubMed ID: 12169648
TITLE: Inducible expression of **BNIP3** provokes mitochondrial defects and hypoxia-mediated cell death of ventricular **myocytes**.
AUTHOR: Regula Kelly M; Ens Karen; Kirshenbaum Lorrie A
CORPORATE SOURCE: Institute of Cardiovascular Sciences, St Boniface General Hospital Research Centre, and the Department of Physiology, Faculty of Medicine, University of Manitoba, Winnipeg, Manitoba, Canada.
SOURCE: Circulation research, (2002 Aug 9) Vol. 91, No. 3, pp. 226-31.
Journal code: 0047103. E-ISSN: 1524-4571.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200208
ENTRY DATE: Entered STN: 10 Aug 2002
Last Updated on STN: 23 Aug 2002
Entered Medline: 22 Aug 2002

AB In this study, we provide evidence for the operation of **BNIP3** as a key regulator of mitochondrial function and cell death of ventricular **myocytes** during hypoxia. In contrast to normoxic cells, a 5.6-fold increase ($P < 0.05$) in **myocyte** death was observed in cells subjected to hypoxia. Moreover, a significant increase in **BNIP3** expression was detected in postnatal ventricular **myocytes** and adult rat hearts subjected to hypoxia. An increase in **BNIP3** expression was detected in adult rat hearts in vivo with chronic heart failure. Subcellular fractionation experiments indicated that endogenous **BNIP3** was integrated into the mitochondrial membranes during hypoxia. Adenovirus-mediated delivery of full-length **BNIP3** to **myocytes** was toxic and provoked an 8.3-fold increase ($P < 0.05$) in **myocyte** death with features typical of apoptosis. Mitochondrial defects consistent with opening of the permeability transition pore (PT pore) were observed in cells expressing **BNIP3** but not in cells expressing **BNIP3** missing the carboxyl-terminal transmembrane domain (**BNIP3DeltaTM**), necessary for mitochondrial insertion. The pan-caspase inhibitor z-VAD-fmk (25 to 100 micromol/L) suppressed **BNIP3**-induced cell death of ventricular **myocytes** in a dose-dependent manner. Bongkrekic acid (50 micromol/L), an inhibitor of the PT pore, prevented **BNIP3**-induced mitochondrial defects and cell death. Expression of **BNIP3DeltaTM** suppressed the hypoxia-induced integration of the endogenous **BNIP3** protein and cell death of ventricular **myocytes**. To our knowledge, the data provide the first evidence for the involvement of **BNIP3** as an inducible factor that provokes mitochondrial defects and cell death of ventricular **myocytes** during hypoxia.

L6 ANSWER 3 OF 5 CA COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 139:334602 CA
TITLE: Antibody, antisense oligonucleotides and mutant NIP3 protein for modulating necrosis and for treating neurol. and cardiovascular diseases
INVENTOR(S): Greenberg, Arnold H.; Geiger, Jonathan D.; Kirshenbaum, Lorrie A.; Hellner, Faye
PATENT ASSIGNEE(S): Can.
SOURCE: U.S. Pat. Appl. Publ., 74 pp., Cont.-in-part of Appl. No. PCT/US01/21043.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003203867	A1	20031030	US 2002-290461	20021108
WO 2002002743	A2	20020110	WO 2001-US21043	20010629 <--
WO 2002002743	A3	20020516		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.:
US 2000-215643P P 20000630
US 2000-219554P P 20000720
WO 2001-US21043 A2 20010629
US 2001-348135P P 20011109
US 2001-344196P P 20011228

AB Methods and comps. for modulating necrosis and for treating neurol. and cardiovascular diseases are described. The inventors have shown that **BNIP3** is involved in cell necrosis and cell death involved in cardiovascular and neurol. diseases. **BNIP3** was expressed and integrated into mitochondrial membranes. Broad spectrum caspase inhibitors Ac-zVAD-FMK and baculovirus p35 failed to inhibit **BNIP3** induced cell deaths. **BNIP3** did not activate caspases and **BNIP3** did not induce mitochondrial cytochrome c release. **BNIP3** induced cell death in the absence of a PAF-1, caspase-9, or caspase-3. **BNIP3** induced rapid plasma membrane permeability but not PE externalization. **BNIP3** induces the ultrastructural changes of necrosis. **BNIP3** mRNA and protein levels increased with excitotoxicity and glutamate increased **BNIP3** expression. **BNIP3** expression caused neuronal cell death and **BNIP3** -induced neuronal cell death in excitotoxicity required protein synthesis but was largely independent of caspase activity. Hypoxia induced expression of **BNIP3** in ventricular myocytes and hypoxia-induced mitochondrial integration of the endogenous **BNIP3** is suppressed by **BNIP3ΔTM**. **BNIP3** provoked widespread cell death of ventricular myocytes.

L6 ANSWER 4 OF 5 CA COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 137:349637 CA
TITLE: Hypoxia, BNip3 proteins, and the mitochondrial death pathway in cardiomyocytes
AUTHOR(S): Crow, Michael T.
CORPORATE SOURCE: Department of Medicine, Johns Hopkins University, Baltimore, MD, 21224, USA
SOURCE: Circulation Research (2002), 91(3), 183-185
CODEN: CIRUAL; ISSN: 0009-7330
PUBLISHER: Lippincott Williams & Wilkins
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English

AB A review discusses the role of BNip3, a hypoxia-inducible member of the Bcl-2 family of the apoptotic regulators, in mediating cardiomyocyte cell death. BNip3 expression is significantly increased in response to hypoxia, enforced BNip3 expression causes cell death in normoxic cardiomyocytes, and enforced BNip3 mutant expression lacking its transmembrane domain partially blocks hypoxia-induced cell death. BNip3 play an essential role in the cellular response to hypoxia because its expression is regulated by the hypoxia-inducible factor transcription complex, its activity is tied to the Bcl-2 family of apoptosis regulators, and it is localized to the mitochondria, a site where numerous cell death regulatory pathways converge.

REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS